

Tab. 1. BEZOKRAJOVÉ NÁBOJE – SKUPINA A

Poř. číslo	Označení náboje	Tlaky			
		P_{\max}	$1,15 P_{\max}$	$1,30 P_{\max}$	$1,50 P_{\max}$
1	5,6 × 50 Mag.	330	379,5	429	495
2	5,6 × 57	380	437	494	570
3	5,6 × 61 SE v. H	390	448,5	507	585
4	6,5 × 54 Mauser	270	310,5	351	405
5	6,5 × 54 M. Sch.	320	368	416	480
6	6,5 × 55 SE	330	379,5	429	495
7	6,5 × 57	340	391	442	510
8	6,5 × 68	380	437	494	570
9	7 × 57	340	391	442	510
10	7 × 64	360	414	468	540
11	7 mm SE v. H	380	437	494	570
12	8 × 51 (Mauser K)	300	345	390	450
13	8 × 56 M. – Sch.	280	322	364	420
14	8 × 57 J	330	379,5	429	495
15	8 × 57 JS	340	391	442	510
16	8 × 60	350	402,5	455	525
17	8 × 60 S	350	402,5	455	525
18	8 × 64 S	350	402,5	455	525
19	8 × 68 S	380	437	494	570
20	8 × 75 S	380	437	494	570
21	9 × 57	250	287,5	325	375
22	9,3 × 62	340	391	442	510
23	9,3 × 64 Brenneke	380	437	494	570
24	10,75 × 68	290	333,5	377	435
25	22–250 Rem.	350	402,5	455	525
26	220 Swift	370	425,5	481	555

Pokračování

Pokračování tab. 1

Poř. číslo	Označení náboje	Tlaky			
		P_{\max}	$1,15 P_{\max}$	$1,30 P_{\max}$	$1,50 P_{\max}$
27	222 Rem.	320	368	416	480
28	222 Rem. Mag.	350	402,5	455	525
29	223 Rem.	370	425,5	481	555
30	243 Win.	360	414	468	540
31	244 Rem.	365	419,7	474,5	547,5
32	6 mm Rem.	370	425,5	481	555
33	25–06 Rem.	387	445	503,1	580,5
34	25 Rem.				
35	250 Savage	320	368	416	480
36	256 Mag. Gibbs	300	345	390	450
37	257 Roberts	310	356,5	403	465
38	270 Win.	370	425,5	481	555
39	275 H.V. Rigby	285	327,7	370,5	427,5
40	280 Rem. ²⁾	350	402,5	455	525
41	280 Riml. N.E. Ross	285	327,7	370,5	427,5
42	284 Win.	380	437	494	570
43	7 mm/08 Rem.	358,5	412,3	466	537,75
44	7,5 × 55 GP 11	330	379,5	429	495
45	30 Rem.	250	287,5	325	375
46	300 Savage	320	368	416	480
47	30/06 Spring.	350	402,5	455	525
48	308 Win.	360	414	468	540
49	318 Riml. N.E.	290	333,5	377	435
50	32 Rem.	260	299	338	390
51	333 Riml. N.E.	290	333,5	377	435
52	35 Rem.	245	281,7	318,5	367,5

²⁾ Odpovídá 7 mm Exp.

Pokračování

Pokračování tab. 1

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
53	350 Mag. Rigby	275	316,2	357,5	412,5
54	358 Win.	350	402,5	455	525
55	404 Riml. N.E.	320	368	416	480
56	416 Rigby	285	327,7	370,5	427,5
57	505 Mag. Gibbs	240	276	312	360

Tab. 2. BEZOKRAJOVÉ NÁBOJE – SKUPINA C

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
1	30 CARBINE	280	322	364	420

Tab. 3. OKRAJOVÉ NÁBOJE – SKUPINA A

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
1	5,6 × 35 R	240	276	312	360
2	5,6 × 50 R Mag.	300	345	390	450
3	5,6 × 52 R	290	333,5	377	435
4	5,6 × 57 R	380	437	494	570
5	5,6 × 61 R SE v. H.	330	379,5	429	495
6	6,5 × 52 R	220	253	286	330
7	605 × 57 R	290	333,5	377	435
8	6,5 × 68 R	340	391	442	510
9	7 × 57 R	300	345	390	450
10	7 mm Mag. Fl. H&H	290	333,5	377	435
11	7 × 65 R	330	379,5	429	495
12	7 × 75 R SE v. H.	360	414	468	540
13	8 × 50 R	220	253	286	330
14	8 × 57 R 360	220	253	286	330
15	8 × 57 JR	280	322	364	420
16	8 × 57 JRS	290	333,5	377	435
17	8 × 60 R	300	345	390	450
18	8 × 60 RS	300	345	390	450
19	8 × 65 RS	350	402,5	455	525
20	8 × 75 RS	330	379,5	429	495
21	8,15 × 46 R	150	172,5	195	225
22	9 × 57 R	250	287,5	325	375
23	9,3 × 74 R	300	345	390	450
24	10,3 × 60 R	240	276	312	360
25	218 Bee	280	322	364	420
26	219 Zipper	254	292,1	330,2	381

Pokračování

Pokračování tab. 3

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
27	22 Hornet	280	322	364	420
28	22 Savage	290	333,5	377	435
29	225 Win.	340	391	442	510
30	240 Fl. N. E.	280	322	364	420
31	25–20 Win.	240	276	312	360
32	25–35 Win.	270	310,5	351	405
33	256 Win. Mag.	305	350,7	396,5	457,5
34	280 Fl. N. E.	260	299	338	390
35	297/230 Morris sh				
36	297/230 Morris Ig				
37	297/250 Rook Rifl				
38	30 Fl. N. E. Purdey	280	322	364	420
39	30 Super Fl. H & H	280	322	364	420
40	30–30 Win.	280	322	364	420
41	30–40 Krag.	285	327,7	370,5	427,5
42	303 Savage	240	276	312	360
43	303 British	320	368	416	480
44	32 Win. Spec.	270	310,5	351	405
45	32–20 Win.	190	218,5	247	285
46	33 Win.	270	310,5	351	405
47	348 Win.	280	322	364	420
48	35 Win	270	310,5	351	405
49	350 No 2 Rigby	290	333,5	377	435
50	369 N. E. Purdey	270	310,5	351	405
51	375 Fl. Mag. N. E.	285	327,7	370,5	427,5
52	38–40 Win.	105	120,7	136,5	157,5

Pokračování

Tab. 5. OKRAJOVÉ NÁBOJE – SKUPINA C

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
1	300/295 Rook Rf	110	126,5	143	165
2	300 Sherwood	130	149,5	169	195
3	310 Cadet Rifle	100	115	130	150
4	32 Win. SL	140	161	182	210
5	35 Win. SL	215	247,2	279,5	322,5
6	351 Win. SL	320	368	416	480
7	360 N. E. 2" 1/4	220	253	286	330
8	375 FI N. E. 2" 1/2	200	230	260	300
9	38-55 Win,	215	247,2	279,5	322,5
10	380 Long Rifle	90	103,5	117	135
11	400 N. E. BP 3" Purdey				
12	401 Win. SL	220	253	286	330
13	405 Win.	220	253	286	330
14	444 Marlin	310	356,5	403	465
15	45-70 Gov.	200	230	260	300
16	450 N. E. 3" 1/4	270	310,5	351	405
17	500 N. E. 3"	250	287,5	325	375
18	577 N. E. 3"	220	253	286	330
19	600 N. E.	220	253	286	330

Tab. 6. NÁBOJE BEZOKRAJOVÉ S DOSEDACÍM NÁKRUŽKEM – SKUPINA A

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
1	240 Belt. Riml. N.	290	333,5	377	435
2	244 H & H Mag.	375	431,2	487,5	562,5
3	6,5 mm Rem. Mag.	375	431,2	487,5	562,5
4	264 Win. Mag.	370	425,5	480	555
5	7 mm Rem. Mag.	370	425,5	481	555
6	275 Belt. N. E.	360	414	468	540
7	30 Super Bl. Riml. H & H				
8	300 Weath. Mag.	380	437	494	570
9	300 H & H Mag.	370	425,5	481	555
10	300 Win. Mag.	370	425,5	481	555
11	308 Norma Mag.	380	437	494	570
12	8 mm Rem. Mag.	395	454,2	513,5	592,5
13	338 Win. Mag.	370	425,5	481	555
14	350 Rem. Mag.	370	425,5	481	555
15	358 Norma Mag.	380	437	494	570
16	375 H & H Mag.	370	425,5	481	555
17	378 Weath. Mag.	380	437	494	570
18	460 Weath. Mag.	380	437	494	570

Tab. 7. NÁBOJE BEZOKRAJOVÉ S DOSEDACÍM NÁKRUŽKEM – SKUPINA C

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
1	458 Win. Mag.	370	425,5	481	555

Tab. 8. TLAKY PRACHOVÝCH PLYNŮ PISTOLOVÝCH NÁBOJŮ

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
1	6,35 mm Browning	130	149,5	169	195
2	7,62 Nagant	85	97,7	110,5	127,5
3	7,63 Mauser	260	299	338	390
4	7,65 Browning	180	207	234	270
5	7,65 Parabellum	260	299	338	390
6	8 mm Steyr	230	264,5	299	345
7	9 mm Browning court	150	172,5	195	225
8	9 mm Luger	260	299	338	390
9	9 mm Steyr	145	166,7	188,5	217,5
10	9 x 18	200	230	260	300
11	10,4 Ord. It.	70	80,5	91	105
12	22 Rem. Jet. Mag.	280	322	364	420
13	221 Rem. Fireball	355	408,2	461,5	532,5
14	38 Super Auto	250	287,5	325	375
15	45 Auto Rim	120	138	156	180
16	45 Auto	140	161	182	210

Tab. 9. TLAKY PRACHOVÝCH PLYNŮ REVOLVEROVÝCH NÁBOJŮ

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
1	5,75 Velodog	75	86,2	97,5	112,5
2	7,5 Ord. Suisse	200	230	260	300
3	8 mm Gasser	80	92	104	120
4	32 Long Colt	110	126,5	143	165
5	32 Short Colt	110	126,5	143	165
6	32 S. & W.	100	115	130	150
7	32 S. & W. Long N. P.	100	115	130	150
8	357 Magnum	320	368	416	480
9	38 Long Colt	100	115	130	150
10	38 Short Colt	100	115	130	150
11	38 S. & W. et Colt N. P.	120	138	156	180
12	38 Special	150	172,5	195	225
13	38 Spl. AMU	140	161	182	210
14	38 Spl. Wad Cut.	130	149,5	169	195
15	380 Short	75	86,2	97,5	112,5
16	380 Long	85	97,7	110,5	127,5
17	41 Long Colt	100	115	130	150
18	41 Rem. Mag.	300	345	390	450
19	44 Rem. Mag.	280	322	364	420
20	44 S. & W. Special	100	115	130	150
21	44 S. & W. Russian	100	115	130	150
22	45 Colt	110	126,5	143	165
23	45 Win. Mag.				
24	450 Short	80	92	104	120

Tab. 10. TLAKY PRACHOVÝCH PLYNŮ BROKOVÝCH NÁBOJŮ

Poř. číslo	Označení náboje	Tlaky			
		P_{max}	1,15 P_{max}	1,30 P_{max}	1,50 P_{max}
1	10				
2	12	65	74,7	85	110,5
3	14				
4	16	68	78,2	90	115,6
5	20	72	82,8	95	122,4
6	24				
7	28				
8	32				
9	410				
10	9 mm				
11	10 až 9 mm ³⁾	90	103,5	120	153

³⁾ Hodnoty platné pro vysokovýkonné náboje

Tab. 11. TLAKY PRACHOVÝCH PLYNŮ A KINETICKÉ ENERGIE STŘEL NÁBOJŮ S OKRAJOVÝM ZÁPALEM

Poř. číslo	Označení náboje	Tlak				Energie			
		P_{\max}	$1,15 P_{\max}$	$1,30 P_{\max}$	$1,50 P_{\max}$	E_{\max}	$1,07 E_{\max}$	$1,1 E_{\max}$	$1,25 E_{\max}$
1	4 mm Randz courte					30	32,1	33	37,5
2	4 mm Randz long					30	32,1	33	37,5
3	5 mm Rem. Mag.	255	293,5	331,5	382,5				
4	5,6 mm (22) Flobert a'balle					70	74,9	77	87,5
5	5,6 mm Flobert a'plombs SC					100	107	110	125
6	5,6 mm Flobert a'plombs DC					100	107	110	125
7	6 mm Flobert a'balle					70	74,9	77	87,5
8	6 mm Flobert a'balle DC					70	74,9	77	87,5
9	9 mm Flobert a'balle					100	107	110	125
10	9 mm Flobert a'plombs Carton	90	103,5	117	135				
11	9 mm Flobert a'plombs Metal	90	103,5	117	135				
12	22 BB Cap					70	74,9	77	87,5
13	22 CB Cap					70	74,9	77	87,5
14	22 Short	130	149,5	169	195				
15	22 Long	100	115	130	150				
16	22 Long Rifle	180	207	234	270				
17	22 Extra Long	140	161	182	210				
18	22 Long Shot	140	161	182	210				
19	22 Long Rifle Short Claybirding	150	172,5	195	225				
20	22 Rem. Auto	160	184	208	240				
21	22 Win. Auto	100	115	130	150				
22	22 Win. R. F.	115	132,2	149,5	172,5				
23	22 Win. Mag. R. F.	190	218,5	247	285				